



N.S.E Automation Co.Limited

Rockwell Allen-Bradley:

SLC500: 1747/1746 series
MicroLogix: 1761/1763/1762/1766/1764 series
CompactLogix: 1769/1768 series
Logix5000: 1756/1789/1794/1760/1788 series
PLC-5: 1771/1785 series



ABB:

AC800M series module, Industrial robots spare parts DSQCseries , Bailey INFI 90, 800xA, Advant OCS with Master Software, with MOD 300 software Advant OCS, Freelance - Distributed Control System for Process Industry, Symphony Melody, Satt OCS, Symphony DCI System Six, Harmony/INFI 90, Security system



GE:

IC693/IC695/IC697/IC698/IC200/IC660/IC670 CPU module ,Communication module ,Analog digital module
EX2100,EX2000 Excitation system card ,IS200 series DS200 series



Bently Nevada:

3500/3300 Surveillance protection system, Proximity eddy current sensor probe



EPRO:

PR6422/PR6423/PR6424/PR6426 eddy-current transducer, PR9268 series
Electrodynamic absolute vibration sensor MMS6000 system



Emerson:

DeltaV system Dual - channel redundant security system Redundant controller
Power supply module I/O unit Analog AImodules Analog AO modules



Woodward:

SPC valve position controller 505/505E(9907-162, 9907-164, 9907-165, 9907-167)
digital controller, 2301A controller, 9905 series, 2301D-ST series



Yokogawa:

CS3000 system CPU control module, Analog module



Honeywell:

Alcont, Experion LS, Experion PKS, Experion HS, Plant Scape
TDC 2000, TDC3000, TPS, security system



Westinghouse:

OVATION system, WDPF system, WEStation system



Invensys Triconex:

Redundant fault-tolerant control system, the most modern fault-tolerant controller based on triple-module redundancy (TMR) architecture



Invensys Foxboro:

I/A Series system,FBM(input / output modules) sequential control,Ladder logic control, Accident recall processing,Digital-to-analog conversion,Input / output signal processing,Data communication and processing



The Advantages:

- 1.100% Origin goods**
- 2.In stock**
- 3.1-year warranty**
- 4.Timely delivery (1-3working days)**
- 5. petitive price**
- 6.Packing:new and original packing with the box**